



DIN/ISO Chain No.	ANSI Chain No.	Pitch (mm)	Roller Diameter (mm)	Width between inner plates (mm)	Pin Diameter (mm)	Pin Length (mm)	Inner plate depth (mm)	Plate thickness (mm)	Ultimate tensile strength Qmin	Average tensile strength Q0	Weight pr. meter q
		P	d1max	b1min	d2max	Lcmax	h2max	Tmax	kN/LB	kN	kg/m
10AH-1	50H-1	15,875	10,16	9,40	5,08	24,4	15,09	2,42	22,20/5045	30,2	1,25
12AH-1	60H-1	19,050	11,91	12,57	5,94	31,6	18,00	3,25	31,80/7227	42,7	1,87
16AH-1	80H-1	25,400	15,88	15,75	7,92	39,4	24,00	4,00	56,70/12886	71,4	3,10
20AH-1	100H-1	31,750	19,05	18,90	9,53	46,9	30,00	4,80	88,50/20114	112,4	4,52
24AH-1	120H-1	38,100	22,23	25,22	11,10	57,5	35,70	5,60	127,00/28864	160,9	6,60
28AH-1	140H-1	44,450	25,40	25,22	12,70	62,2	41,00	6,40	172,40/39182	217,3	8,30
32AH-1	160H-1	50,800	28,58	31,55	14,27	73,0	47,80	7,20	226,80/51545	285,8	10,30
40AH-1	200H-1	63,500	39,68	37,85	19,85	93,5	60,00	9,50	353,80/80409	444,5	19,16



DIN/ISO Chain No.	ANSI Chain No.	Pitch (mm)	Roller Diameter (mm)	Width between inner plates (mm)	Pin Diameter (mm)	Pin Length (mm)	Inner plate depth (mm)	Plate thickness (mm)	Transverse pitch (mm)	Ultimate tensile strength Qmin	Average tensile strength Q0	Weight pr. meter q
		P	d1max	b1min	d2max	Lcmax	h2max	Tmax	Pt	kN/LB	kN	kg/m
12AH-2	60H-2	19,050	11,91	12,57	5,94	57,7	18,00	3,25	26,11	63,60/14455	84,5	3,71
16AH-2	80H-2	25,400	15,88	15,75	7,92	72,0	24,00	4,00	32,59	113,40/25773	145,3	6,15
20AH-2	100H-2	31,750	19,05	18,90	9,53	86,0	30,00	4,80	39,09	177,00/40227	225,9	9,03
24AH-2	120H-2	38,100	22,23	25,22	11,10	106,4	35,70	5,60	48,87	254,00/57727	322,7	13,13
28AH-2	140H-2	44,450	25,40	25,22	12,70	114,4	41,00	6,40	52,20	344,80/78364	437,7	16,60
32AH-2	160H-2	50,800	28,58	31,55	14,27	134,9	47,80	7,20	61,90	453,60/103091	571,6	20,20
40AH-2	200H-2	63,500	39,68	37,85	19,85	171,8	60,00	9,50	78,31	707,60/160818	894,9	38,11



DIN/ISO Chain No.	ANSI Chain No.	Pitch (mm)	Roller Diameter (mm)	Width between inner plates (mm)	Pin Diameter (mm)	Pin Length (mm)	Inner plate depth (mm)	Plate thickness (mm)	Transverse pitch (mm)	Ultimate tensile strength Qmin	Average strength	tensile Q0	Weight pr. meter q
		P	d1max	b1min	d2max	Lcmax	h2max	Tmax	Pt	kN/LB	kN		kg/m
12AH-3	60H-3	19,050	11,91	12,57	5,94	83,8	18,00	3,25	26,11	95,4/21682	113,9		5,54
16AH-3	80H-3	25,400	15,88	15,75	7,92	104,6	24,00	4,00	32,59	170,1/38659	203,5		9,42
20AH-3	100H-3	31,750	19,05	18,90	9,53	125,1	30,00	4,80	39,09	265,5/60341	314,8		12,96
24AH-3	120H-3	38,100	22,23	25,22	11,10	155,2	35,70	5,60	48,87	381,0/86591	444,7		19,64
28AH-3	140H-3	44,450	25,40	25,22	12,70	166,6	41,00	6,40	52,20	517,2/117545	598,4		24,9
32AH-3	160H-3	50,800	28,58	31,55	14,27	196,8	47,80	7,20	61,90	680,4/154636	787,3		30,10
40AH-3	200H-3	63,500	39,68	37,85	19,85	250,1	60,00	9,50	78,31	1061,4/241227	1228,2		57,06