



Part No.	d mm	Dimensions (mm)										Bolt Size	Bearing No.	Housing No.	Weight (kg)	Cover	
		L	J	B	A <sub>2</sub>	S	A <sub>1</sub>	A	U	N	T*						Nipple (Q)
HCF 204	20	86	64	43,7	15	17,1	11,0	25,5	41,6	12,0	-2,1	M6	M10	HC 204	F 204	0,63	N/A
HCF 205	25	95	70	44,3	16	17,5	13,0	27,0	42,8	12,0	-1,5	M6	M10	HC 205	F 205	0,85	KASK 05
HCF 206	30	108	83	48,3	18	18,3	14,3	31,0	48,0	12,0	-0,3	M6	M10	HC 206	F 206	1,17	Cover Ø30
HCF 207	35	117	92	51,1	19	18,8	15,0	34,0	51,3	14,0	0,2	M6 - Rp1/8"	M12	HC 207	F 207	1,48	Cover Ø35
HCF 208	40	130	102	56,3	21	21,4	15,0	36,0	55,9	16,0	-0,4	M6 - Rp1/8"	M12	HC 208	F 208	1,89	Cover Ø40/45
HCF 209	45	137	105	56,3	22	21,4	16,0	38,0	56,9	16,0	0,6	M6	M14	HC 209	F 209	2,30	Cover Ø40/45
HCF 210	50	143	111	62,7	22	24,6	16,0	40,0	60,1	16,0	-2,6	M6 - Rp1/8"	M12	HC 210	F 210	2,50	Cover Ø50
HCF 211	55	162	130	71,3	25	27,8	19,5	43,0	68,5	19,0	-2,8	M6	M16	HC 211	F 211	3,60	N/A
HCF 212	60	175	143	77,7	29	30,9	19,5	48,0	75,8	19,0	-1,9	M6	M16	HC 212	F 212	4,30	N/A
HCF 213	65	187	149	65,1	30	25,4	22,0	50,0	69,7	19,0	4,6	M6	M16	HC 213	F 213	5,40	N/A
HCF 214	70	193	152	66,0	31	21,5	22,0	54,0	75,5	19,0	9,5	M6	M16	HC 214	F 214	6,20	N/A
HCF 215	75	200	159	66,0	34	21,5	22,0	56,0	78,5	19,0	12,5	M6	M16	HC 215	F 215	6,40	N/A
HCF 216	80	208	165	67,1	34	21,5	22,0	57,0	79,6	23,0	12,5	M6	M20	HC 216	F 216	7,50	N/A
HCF 217	85	220	175	70,7	36	23,4	24,0	63,0	83,3	23,0	12,6	M6	M20	HC 217	F 217	9,20	N/A
HCF 218	90	235	187	69,5	40	23,0	24,0	68,0	86,5	23,0	17,0	Rp1/8"	M20	HC 218	F 218	12,40	N/A

\*negative T dimensions indicate a protruding bearing inner ring below the housing surface.