




# **PTI** EUROPA A/S

BEARINGS & TRANSMISSION







# ABOUT PTI EUROPA A/S



PTI Europa A/S is a manufacturer of bearings, bearing housings and transmission products. The company was founded in 1991 and currently employs more than 45 employees and the number is steadily increasing. We always strive to adapt our product range to our customers' requirements. Our clear aim is to guarantee our customers a sustainable supply of quality products at competitive market prices. Over the years, we have gained a lot of experience and expertise in terms of international production and trade, and we have built up a very good reputation with many industrial customers and dealers all over the world.

With an extensive product range and a 5500 m<sup>2</sup> warehouse, PTI is always ready to provide extra service for existing standard solutions. This ensures a unique level of service and high operating reliability for our customers. As a result, PTI is currently one of Europe's leading suppliers and experts in the field of mechanical transmission components.



# OUR EMPLOYEES

PTI Europa A/S is a dynamic company in constant development that is run by a competent team of employees. We are proud of the fact that a large proportion of our staff have been employed at PTI for over 10 years and some for more than 20 years. Each customer is assigned a contact person who takes care of the daily communication and is familiar with one's needs.

The combination of new visions and experience has made PTI a prospective business, but with great respect for the traditional methods, where we make a virtue of customer relationships. With the ambition to work quickly in terms of both technical matters and delivery, it is our hope and expectation that this fact will live on in the company, regardless of how big we become.

We speak Danish, German, English, Spanish and French.



## ISO CERTIFIED

We and our subcontractors are certified according to ISO 9001. Our transmission components are manufactured in both metric and imperial dimensions that are approved according to European and American standard norms.


The purpose of our ISO 9001 certification is that we will continue to strive to improve the quality and consistency of our products, delivery times and service.

# SHIPMENTS

All our orders are usually packed and sent within the day we have received the order. We deliver all over Europe and the rest of the world at very competitive freight prices.

All our shipments are checked twice before they are dispatched.

After dispatch, you will be sent a shipping number so you can track your package at any time.



## TWO DEPARTMENTS = ONE STRONG PARTNER

PTI is divided over two addresses in respectively, Højer, close to the German border and in Støvring near Aalborg.

At our department in Højer, we mainly sell our own PTI brand products to both OEM customers and dealers throughout the world. These are manufactured according to PTI's specifications at our regular partners all over the world. Our products are a strong alternative to other competitors in terms of quality and price. All incoming goods are checked according to established ISO certified procedures.

PTI's department in Støvring is the largest independent dealer of FAG/INA products in Denmark, as well as an authorised dealer of bearings from SLF and belts from Optibelt.

You have a strong partner in PTI, whether it concerns the purchase of brand-name products or if you want an alternative price solution that can give you a competitive advantage.




# MODIFICATIONS AND MACHINING

At PTI we perform modifications and machining in our own workshop. This way we can quickly change a standard product according to your wishes, so that you avoid waiting for a new production.

Changes can include hollowing out the bearing housing for larger bearing diameters, boring of chain or v-belt pulleys, keyseating, special covers for bearing houses and much more.

We stock many items as individual components, so we can combine them into different end products. Therefore, we can rapidly put a product together according to the customer's specific requirements.

With our grease filling system, we can fill bearings with special greases and different filling quantities.




## POWDER COATING

With our powdercoating facilities, we are able to provide you with an excellent protection of our products. Our paint is available in all RAL colours and well suited for chemicals, UV light and harsh environmental conditions that require a good corrosive protection. The thick powder layer gives a long lasting and shock absorbing coating. All work steps are made in house, the handling and curing of this type of paint is very fast. This enables us to provide you with your special paint needs in matter of short time.









# PRODUCTS

The following pages show an overview of our extensive product range, directly available from stock.

Items we do not have in stock or with special dimensions are offered with a delivery time.

On our website [pti.eu](http://pti.eu) you can find most of our products, as well as data sheets.

It is also possible to search for partnumbers from different manufacturers and find matching models at PTI.

## Ball, Needle and Roller Bearings

Our product range includes a complete portfolio of various bearings types, including regular row ball bearings, angular contact and spindle bearings, self aligning ball bearings, cylindrical, tapered and spherical roller bearings, axial ball and roller bearings, miniature bearings and wheel bearings. Furthermore, we offer needle bearings, needle bushes and needle end bushes, combined needle bearings and axial needle bearings.

Our bearings are also available in stainless steel, as well as ceramic, and hybrid bearings with different degrees of clearance and seals.



## Bearing Housings

One of our core areas at PTI is bearing housings that are supplied in a wide variety of models, such as plummer block housings, one-piece housings, flange housings, take-up housings and double bearing housings.

They are manufactured mainly in cast iron, but they can also be supplied in reinforced types.

All the housings can be supplied as complete solutions fitted with bearings, seals, adapter sleeves, fixing rings and end cover. Bearing housings can be supplied with different sealing solutions for both grease and oil lubrication, for example: felt rings, rubber lips, labyrinth and taconite. PTI versions are interchangeable with the most well known brands within the bearing industry and can be exchanged 1:1 with these.

We are experts in supplying solutions that are beyond the usual standards.



## Mounted Bearing Units

This type of bearing unit can be used for numerous applications, they are ready for mounting and easy to maintain. The bearing insert has a spherical outer ring, that means the bearing can easily be replaced and adjust itself to angular errors in the construction.

The bearing housings come in many variations, covering every imaginable construction. 2, 3, or 4 bolt flanged bearing housings, plumber block housings, take-up housings, round bearing housings and lightweight sheet metal housings.

Most types can be supplied with an open or closed cover, which can be made of thermoplastic, sheet metal or cast iron. PTI's insert bearings come with different fixation options, such as set screw, eccentric locking ring, adapter sleeve and as a floating bearing.

Many sizes are also supplied in imperial measurements.

Bearing inserts are available with a variety of seals. From ordinary standard designs to easy running low friction seals and heavy duty seals with up to 6 sealing lips for extra protection against dirt and fluids.



**“ BIG OR SMALL  
– PTI IS ALWAYS READY TO HELP**

## Corrosion Resistant

PTI's mounted bearing units are furthermore available in stainless steel and thermoplastic versions that are specifically suitable for the food industry. All inserts are supplied with food grade grease.

With the thermoplastic version, we can also offer our waterproof 2 and 4 bolt flanged series that effectively keep all fluids out.

We can also supply silver series bearing units, that are manufactured in a rust proof zinc aluminium alloy.

Our stainless-steel ball bearings are available with food grade seals and food grade grease (FDA).





## High Temperature

A high temperature bearing can replace the regular bearing in a bearing housing and thus turn the unit into a high temperature version. They have a greater clearance and are lubricated with grease suitable for higher temperatures.

We supply bearings for 200°C, 270°C or 350°C. These are particularly suitable in ovens, or other areas where the temperature exceeds the normal operating temperature for a standard bearing.



## Bearings with Solid Oil

Lifetime lubricated and sealed in a single product. Bearings with Solid Oil are an alternative solution for places where it might be difficult to lubricate the bearings and the requirements of contamination of the surroundings from the discharge of grease is very high, for instance, in the food and pharmaceutical industry. The bearings never require lubrication, because the fixed polymer filling releases a fine oil film and stops dirt getting in the bearing.

Bearings with Solid Oil are available in different types for different industries and temperatures.



## Rod Ends

Rod ends are used for non-linear movements and can offset angle error and rotation.

We supply all the common models of rod ends including both radial and axial rod heads, rod eyes with male and female threads and hydraulic rod heads for either welding or clamping.

Rod ends come in regreaseable or maintenance-free models.

They can also be manufactured in stainless steel.









## Bushes

Bushes are useful where requirements for rotation are not as high as for traditional bearings and they are less cost intensive.

We stock a wide range of different bushes, including both self-lubricating bronze bushes and sliding bushes, which are available with or without a collar.

As one of the few on the market, we also supply DIN housings.



**WE ARE MAKING EVERYDAY  
LIFE EASIER FOR OUR CUSTOMERS  
– THIS IS OUR CUSTOMER  
PROMISE THAT WE STRIVE TO  
LIVE UP TO EVERY DAY**

## Chains

We supply a vast range of chains such as agricultural chains, conveyor chains, ordinary roller chains, leaf chains and hollow pin chains.

These come in a variety of materials, for example, stainless steel, heavy duty and nickel plated. There is also the possibility of chains with attachments.

We supply chains in simplex, duplex and triplex versions.





## Sprockets and Idler Sprockets

We offer a large selection of different sprockets, including plate wheels, taper sprockets, idler sprockets, cast and stainless steel sprockets.

Sprockets can be supplied with finished machined boring, keyways, set screw and types with induction hardened teeth.



## Shaft Couplings

Shaft couplings are intended for power transfer between two shafts that can compensate for alignment errors and reduce vibrations. Curved tooth couplings and friction torque limiters are designed to disconnect the power transfer in the event of an overload.

We supply a wide variety of shaft couplings, for example, elastic and fixed couplings, clamp couplings, car tyre couplings and chain couplings.

The different types can be supplied pre-bored, for taper bushes or bored according to customer requirements.



**WE OFFER MORE THAN  
40.000 ITEM NUMBERS, SPREAD  
OVER A WAREHOUSE SPACE  
OF OVER 5.500 M<sup>2</sup>**

## Belts

Belts are supplied as classic wrapped v-belts, cogged raw edge belts and timing belts. All our belts are antistatic and oil-resistant.

Besides our PTI belts, we also have belts from Optibelt.





## V-belt and Timing Pulleys

We supply a complete range of v-belt and timing pulleys in a pre-bored version or with taper bushes.



**“ WE ARE READY TO FULFIL  
YOUR NEEDS FOR SPECIAL PRODUCTS**

## Freewheels and One Way Clutch

Freewheels can be used for a number of applications where counter rotation is not permissible. These can be supplied for clockwise or counterclockwise rotations.



## Tensioners

Our tensioners ensure a constant tightening of belts or chains, the built-in rubber elements can be adjusted to a variable pressure.

Very useful in constructions where the shafts cannot be offset. Wear and stretch of the chain or belt is automatically absorbed.



## Track Rollers

We supply various types of track rollers that are mainly used in conveyor systems. Track rollers can absorb large forces in the radial direction, as well as axial forces that may occur with an angle error.





# ACCESSORIES

## Adapter Sleeves

Used for clamping a bearing with a tapered bore to a shaft. We have an extensive range of regular adapter sleeves and hydraulic adapter sleeves with oil injection for large bearing diameters.



## Locknuts and Hydraulic Nuts

We supply locknuts, self locking and hydraulic nuts for a wide range of bearings.

Hydraulic nuts are used for mounting and dismounting bearings with a tapered bore and when ordinary nuts cannot provide the necessary drive-up forces.



## Taper Bushes

Taper bushes make assembly and disassembly of v-belt pulleys, sprockets and timing belts easy.

Available in metric and imperial dimensions. Some sizes are available in a reinforced steel version.



## Locking Devices

Locking devices are used for attaching belt pulleys, sprockets and other things to a shaft.

They are suitable for small shafts, where a key/groove connection is not possible. Locking devices tolerate impact and reversing loads.





## Weld on Hub and Bolt on Hub

Weld and bolt on hubs are prepared for taper bushes. They make it easy to add a taper bush fitting to your construction.



## Automatic and Refillable Lubricators

All our mounted bearing units can be supplied with lubricators filled with grease. These can be mounted outdoors, as well as indoors, in hard-to-reach places and even under water. The lubricators assure that the bearing always gets the right amount of grease, whereby expensive repairs can be avoided and therefore give savings in the longer term.



## Inner Rings

Inner rings compliment the needle bearings and are especially useful in situations where the shaft cannot be used as a bearing surface and when there is a need for an optimal polished and hardened surface for seals.



## Ball Transfer Units

Ball transfer units come in models with and without a flange, in plain, zinc plated and stainless steel. Ball transfer units have a lot of applications, by using them, heavy elements can easily be moved in all directions. Examples of uses: Picking stations, conveyors and workstations.



## Manual Holder

Our manual or tool holder has a neoprene seal on the lid that makes it completely waterproof. With this container, you can always have important documents and tools within easy reach, saving time and money. The tube can be mounted on a wide variety of machines and vehicles, for example, agricultural machinery, cars, boats, motorcycles and much more.










# SPECIAL PARTS

At PTI we offer custom-made special parts, to our customer's individual needs. These products can meet specific requirements regarding durability, design, be branded with the customer's logo, in customer-specific colors and be supplied with their part number.

We develop these products closely together with our customers and advise about improvements on existing solutions.

We are looking forward to receiving your request.

## Special parts





# REFERENCES

More than 2000 customers spread all over the world and in many different industries, trust in PTI as their supplier of bearings and transmission parts.

In our annual customer satisfaction survey, we are praised for our excellent correlation between price and quality, consistency of supply, know-how and our always friendly and welcoming staff.

Below is a list of some selected customers who we have supplied to, for a number of years.

**MEYN**

Poultry Processing Solutions

**SOBY**

**KKM**

**CALJAN**  
BY RITEHITE

 **kverneland**  
group





## VISIT OUR WEBSHOP

On our webshop **shop.pti.eu**, it is possible to order products, see our stock, gross and net prices, favourite lists and previous orders.

On our website **pti.eu** you can find drawings and dimensions for most of our products.

Everything you need to get a login for the webshop is on our homepage. Fill out the required login information, after which you will receive a password within 24 hours and have full access to the webshop. Should you forget your password, please follow the same instructions and we will send a new password as soon as possible.

We are, of course, still personally available for orders, enquiries, etc., on both e-mail and telephone.


# PTI

## PTI Europa A/S

Hjerpstedvej 8 • 6280 Højer  
Tel: +45 74 78 25 15 • [pti@pti.dk](mailto:pti@pti.dk)  
[www.pti.eu](http://www.pti.eu)

## PTI Nord

Fredensgade 9a • 9530 Støvring  
Tel: +45 96 86 06 85 • [ptinord@pti.dk](mailto:ptinord@pti.dk)  
[www.ptinord.dk](http://www.ptinord.dk)



[www.pti.eu](http://www.pti.eu)